

Tomographic Site Characterization Using CPT, ERT and GPR

Morey (rmorey@ned.ara.tom; 802-763-8348)
Applied Research Associates, Inc.
Box 120A Waterman Road
South Royalton, VT 05068

Abstract

The US Department of Energy (DOE) is responsible for the clean up of inactive DOE sites and for bringing DOE sites and facilities into compliance with Federal, State and local laws and regulations. The DOE's Office of Environmental Management (EM) needs advanced technologies that can make environmental restoration and waste management operations more efficient and less **costly**. Significant savings, in both time and money, can be realized with better site characterization and monitoring techniques. These techniques are required to better characterize the physical, **hydrogeological**, and chemical properties of the subsurface while minimizing and optimizing the use of boreholes and monitoring **wells**. Today the cone **penetrometer** technique (**CPT**) is demonstrating the **value** of a minimally invasive deployment system for site characterization.

CPT uses a variety of sensors for measuring soil properties, such as, pore pressure, **resistivity**, temperature, pH, and seismic wavespeed. Studies have shown that **CPT** site investigations at hazardous waste sites are a very cost effective method for accessing the subsurface without **drilling**. In its continuing effort to support cost-effective environmental restoration, Applied Research Associates is developing two new sensor packages for site characterization and monitoring. The two new **CPT** methods are:

- . Electrical **Resistivity** Tomography (**ERT**) and
- Ground Penetrating Radar (**GPR**) Tomography.

Surface ERT and GPR have proven to be useful techniques for imaging subsurface structures and processes; however, depth of investigation is limited. **Borehole** use of ERT and GPR require the installation of system components via drilled **boreholes**. The purpose of this new program is to make possible the installation of ERT and GPR units by cone **penetrometer** and thereby reduce installation costs and total costs for ERT and GPR surveys. Using the cone **penetrometer** for environmental site characterization represents a new application of the technology. Significant advantages of the CPT include: eliminating drilling wastes and the need for treatment and disposal of drill spoils as hazardous material; reducing the possibility of cross contamination (by grouting the hole as the probe is withdrawn), and is faster than conventional drilling and sampling

Applications and Benefits

This program address a range of DOE applications which fall into two categories: site characterization and **monitoring**. Technologies used for site characterization and monitoring have numerous and diverse applications within site clean-up and waste management operations. DOE has identified a need for sensors, sensor deployment means, and sensor data processing, including sensor data fusion methodologies**for**:

- . detection and monitoring of contaminants in soils, groundwater, and process effluents;
- . expediting site characterization; and
- . geological and **hydrogeological** characterization and monitoring of the subsurface environment.

Our program specifically addresses each of these needs:

1. Sensors: Electrical **Resistivity** Tomography and Ground Penetrating Radar Tomography
2. Sensor Deployment: Cone **Penetrometer** Techniques
3. Sensor Data Processing: Tomographic Imaging
4. Sensor Data Fusion: ERT and GPR

Specific benefits are numerous where cost effective underground imaging is very important:

1. Delineating the continuity of soil layers between **penetrometer** holes;
2. Locating and mapping sand and clay lenses between **penetrometer** holes;
3. Mapping DNAPL plumes;
4. Defining spatial and temporal behavior of a steam flood for dynamic stripping;
5. **Detecting** leaks under tanks at Hanford, WA;
6. Monitoring the efficiency of air **sparging**;
7. Monitoring an ohmic heating thermal front;
8. Characterization of burial trenches and pits, including boundaries and contents; and
9. **In situ** measurement of physical properties, i. **e.**, porosity, density and moisture content.